


FIG.2






FIG.4

/T100

NUMBER OF ITERATIONS	CONTROL INFORMATION
1	INFORMATION C
2	INFORMATION C
3	INFORMATION C
4	INFORMATION C
5	INFORMATION B
6	INFORMATION A






FIG.6



SERVER IDENTIFIER | 1ST VERIFICATION VALUE | 2ND VERIFICATION VALUE c22 c12 c33 .c11 c21 c31 SID A SID B SID C









FIG. 10














FIG.14




















19/46

FIG.20

/T250

SERVER IDENTIFIER	VERIFICATION VALUE
. SID A	c1
SID B	c2
SID C	. c3







FIG.23

T150

NUMBER OF ITERATIONS	CONTROL INFORMATION
1	INFORMATION C
2	INFORMATION C
3	INFORMATION C
4	INFORMATION C
5	INFORMATION C
6	INFORMATION AB

FIG.24

FIG.25







FIG.27




27/46

FIG.28

- T1100

ISSUED PUBLIC KEY	ISSUED IDENTIFIER INFORMATION
PK 1	IDI1
PK 2	IDI 2
:	:
PK ·	IDI

FIG.29



29/46


30


√T1200

1ST VERIFICATION VALUE | 2ND VERIFICATION VALUE c12 c22 c33 c11 c21 . 33 SERVER IDENTIFIER SID B SID A SID C

30/46

FIG.31








FIG.34







FIG.35



35/46











FIG.39







-16.42

FIG.43

FIG.44

BIT STRING OF ISSUE IDENTIFIER INFORMATION "IDI": [S1S2S3S4...S62S63S64]

BIT STRING OF RANDOM NUMBER "R1": [T1T2T3T4...T62T63T64]

GENERATION OF "IDI_R1"

[BIT STRING OF "IDI_R1": [S1T1S2T2S3T3S4T4···T61S62T62S63T63S64]

